



GEMGATE Limited
White Bay House
Whitegate
Co. Cork
IRELAND

Tel.: (00353) – (0)21 – 4 66 11 22
Fax: (00353) – (0)21 – 4 66 11 12
e-mail: info@urimat.ie
www.gemgate.ie / www.urimat.ie

Reference: Wall-Junction Seal



Please ensure that the urinal and wall-junction-seal are mounted firmly against the wall. This not only provides stability to the whole unit (in case of vandalism) but also deters easy removal of the wall-junction-seal, which generally happens where it is just hanging off the urinal.

It may be necessary to have your plumber check that the waste-pipe connected to the urinal does not protrude too far into the room, preventing the firm mounting of the urinal/wall-junction-seal to the wall. Also, it is advisable to check that the supplied coupler situated between urinal and waste-pipe has been shortened accordingly.

Do not use an adhesive to fix the wall-junction-seal as the chemical compounds within the adhesive penetrate the polycarbonate urinal material, thus causing long-term material damage!

We trust that the above information will be of assistance.

Should you have any further queries please contact us.
Best regards.

GEMGATE Limited
White Bay House
Whitegate, Co. Cork
IRELAND

Tel.: +353 (0)21 - 4 66 11 22
Fax: +353 (0)21 - 4 66 11 12
Email: info@gemgate.ie
Web: www.gemgate.ie

Registered Company No.: 228870
VAT-ID No.: IE 8228870V
Registered Address: 29 Earlsfort Terrace, Dublin 2
Company Type: Private Limited By Shares

URIMAT®

URIMAT Ireland – R.O.I. & N.I.
Tel. URIMAT: +353 (0)21 - 4 66 26 53
Email URIMAT: info@urimat.ie
Web URIMAT: www.urimat.ie

